## **EAST Search History**

## EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	179	[((copier or copying or camera)]) same (compartment or slot or inlet or insertion or hole) same [(memory or flash or stor\$5 or instruction or image or picture or process\$3) near3 (cartridge or stick or card))) and (((cartridge or stick or card) with (instruction or serial or id or identification or identifier or name or character or symbol or text\$\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or sens\$3) near3 (instruction or serial or id or identification or identifier or name or character or symbol or text\$\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:52
S2	108	S1 and ((combin\$5 or merg\$5 or manipulat\$5 or adjust\$5 or composit\$5 or synthes\$6 or effect)   same ((scan\$5 or captur\$5 or read\$3) near4 (image or picture)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 11:52
53	5089	(copier or copyring or camera) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3 or program\$6) near3 (cartridge or stick or card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 13:37
64	6913	17 3 3/1/	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 13:38
55	957	iS4 and ((cartridge or stick or card) with (program\$5 or instruction or serial or id or identification or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or sens\$3 or read\$3) near3 (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 13:41
66	36	\$5 and ((cartridge or stick or card) with (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 13:43
57	6913	(copier or copying or camera or (imag\$3 adj3 (apparatus or device or capturing or sensing))) same (compartment or slot or inlet or insertion or hole) same ((memory or flash or stor\$5 or instruction or image or picture or process\$3 or program\$6) near3 (cartridge or stick or card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:25

8	957	(code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or sens\$3 or read\$3) near3 (program\$5 or instruction or serial or id or identification or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:25
39	39	identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:25
10	52	identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same2 ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:27
11	10	S8 and (image adj2 sensing).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:28
12	2		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:28
13	12542	(compartment or slot or inlet or insertion or hole) same ((cartridge or stick or card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:29
14	2006	identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same ((ocr or recogn\$7 or scan\$5 or sens\$3 or read\$3) near3 (program\$5 or instruction or serial or id or identification or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:32
15	241	near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same2 ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:34

S16	177	\$15 and ((microcontrol\$5 or mpu or cpu or mcu or processor or processing) with (buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (pixel or image or picture)) with (buffer\$5 or memory or register or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:37
17	63	\$16 and ((microcontrol\$5 or mpu or cpu or mcu or processor or processing) with (buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (dot or program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) with (buffer\$5 or memory or register or stor\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:39
18	51	\$17 and ((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (dot or program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same ((execut\$5 or applying or apply or application or applied or correct\$5 or chang\$3 or modif\$8) near5 (pixel or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 14:45
19	2	S18 and "922274".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 15:18
	4	S18 and "922274"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 15:18
21	16	S18 and "113053"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 15:32
22	35	S18 not "113053"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 15:33
23	7	113053".ар.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 15:36
24	9	\$18 and ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one- dimension\$5 or dimension\$5)) with dot).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 15:51

S25	3	dimension\$5 or dimension\$5)) with dot).clm. and vliw.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 15:52
26	7		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 15:56
27	3	\$18 and ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one- dimension\$5 or dimension\$5)) with dot).clm. and print\$5.clm. and (microcontroller or chip or vliw). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 16:13
28	3	processor).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 16:15
29	3	processor).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 16:19
30	4	processor).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 16:20
31	0	processor).clm. and buffer\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 16:22
32	0	processor).clm. and buffer\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 16:22
33	0	\$13 and ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) with dot).clm. and print\$5.clm. and (microcontroller or chip or viiw or processor).clm. and buffer\$5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/02 16:22

534	12560	(copier or copying or camera or (imag\$3 adj3 (apparatus or device or capturing or sensing))) same (compartment or slot or inlet or insertion or hole) same ((cartridge or stick or card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:20
S35	2008	\$34 and ((cartridge or stick or card) with (program\$5 or instruction or serial or id or identification or dentifice or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same (((ocr or recogn\$7 or scan\$5 or sens\$3 or read\$3) near3 (program\$5 or instruction or serial or id or identification or dentifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:20
536	241	\$35 and ((cartridge or stick or card) same (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same2 ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5) with dot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:20
538	211	\$36 and ((microcontrol\$5 or mpu or cpu or mcu or processor or processing) with (filo or buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (pixel or mage or picture)) with (buffer\$5 or memory or register or stor\$5 or fifo))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:21
640	187	\$38 and ((microcontrol\$5 or mpu or cpu or mcu or processor or processing) with (filo or buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 dot) with (buffer\$5 or memory or register or stor\$5 or filo))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:24
641	7	S40 and ((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 dot) same ((execut\$5 or applying or apply or application or applied or correct\$5 or chang\$3 or modif\$8 or enhanc\$5 or adjust\$5) near5 (pixel or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:26
642	2	"583858".ap. and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:27
643	7	S40 and ((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 dot) same2 ((execut\$5 or applying or apply or application or applied or correct\$5 or chang\$3 or modif\$8 or enhanc\$5 or adjust\$5) near5 (pixel or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:28
S44	187	S40 and ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one- dimension\$5 or dimension\$5)) with dot) same ((execut\$5 or applying or apply or application or applied or correct\$5 or chang\$3 or modif\$8 or enhanc\$5 or adjust\$5) near5 (pixel or image or picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:29

S45	234	S35 and ((cartridge or stick or card) same (program\$5 or instruction or serial or id or identification or identifier or name or character or symbol or text\$3 or watermark\$5 or ((hidden or embed\$5) near3 (code or instruction)) or barcod\$3 or bar or glyph or (read\$3 adj2 code))) same2 ((array or row or column or pattern or matrix or (two-dimension\$5 or 2-d or 1-d or one-dimension\$5 or dimension\$5)) near3 dot)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:31
346	211	S45 and ((microcontrol§5 or mpu or cpu or mcu or processor or processing) with (filo or buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 (pixel or image or picture)) with (buffer\$5 or memory or register or stor\$5 or fifo))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:33
647	187	\$46 and ((microcontrol§5 or mpu or cpu or mcu or processor or processing) with (filo or buffer\$5 or memory or register or stor\$5)) same (((scan\$5 or captur\$5 or read\$3 or sens\$3) near4 dot) with (buffer\$5 or memory or register or stor\$5 or filo))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:33
S54	39		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:40
355	1925	348/207.99,207.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:49
656	17171	358/1.1,1.3,1.18,1.8,501,505,514,530,401,448,474,483,498,296,909.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:49
657	575	396/229,310.cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:49
658	11	S54 and (S55 or S56 or S57)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 11:50
659	0	"5502577",pn. and dot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:22

S60 S61	0	"5502577".pn. and array	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:22
	1	"5502577":pn. and glyph	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:22
662	0	"5502577".pn. and mark\$5 with pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:24
	0	"5502577".pn. and mark\$5 same pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:24
664	1	"5502577".pn. and mark\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:24
65	1	"5502577".pn. and mark\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:26
666	1	"5502577".pn. and readable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:28
667	0	"5502577".pn. and pixel	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/08 16:29
668	1734	(((digital or electronic\$5) adj3 camera) same (controller or processor or cpu or processing)) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with (pixel or image or picture))) and (( (fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with ((command or non-image or non-picture or data or program\$5 or instruction or character or text\$5 or ocr))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 13:49

669	437	[((digital or electronic\$5) adj3 camera) same (controller or processor or cpu or processing)) and [((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with (pixel or image or picture))) and (( (fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with ((command or non-image or non-picture or program\$5 or instruction or character or text\$5 or ocr))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 13:50
70	48	S69 and "358",clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 13:51
71	158	[((digital or electronic\$5) adj3 camera) same (controller or processor or cpu or processing)) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with (pixel or image or picture))) and (( (fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with ((command or control\$5 or non-image) adj3 data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:02
72	21	(S71 and "358",clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:05
73	112	[((digital or electronic\$5) adj3 camera) same (controller or processor or cpu or processing)) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with (pixel or image or picture))) and (( (fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with ((command or control or non-image) adj3 data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:06
74	17	S73 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:06
75	86	[((digital or electronic\$5) adj3 camera) same (controller or processor or cpu or processing)) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with (pixel or image or picture))) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with ((command or control or non-image) adj3 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:10
76	15	[((digital or electronic\$5) adj3 camera) same (controller or processor or cpu or processing)) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with (pixel or image or picture))) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with ((command or control or non-image) adj data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:37
377	97	[((digital or electronic\$5) adj3 (capturing or camerar)) same (controller or processor or cpu or processing)) and (((fifo or buffer\$5) with (controller or processor or cpu or processing)) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with (pixel or image or picture))) same ((fifo or buffer\$5) with (input\$5 or receiv\$5 or transfer\$5) with ((command or control or non-image or program\$3) adj (instruction or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:41

S78	7	((mux or multiplex\$5) with (input\$5 or receiv\$5 or transfer\$5) with (pixel or image or picture))) same ((mux or multiplex\$5) with (input\$5 or receiv\$5 or transfer\$5) with ((command or control or non-image or program\$3) adj (instruction or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:48
79	17	,	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:53
580	1	(((digital or electronic\$5) adj3 (capturing or camera)) same (controller or processor or cpu or processing)) and (((latch\$3) with (controller or processor or cpu or processing)) same ((latch\$5) with (pixel or image or picture))) same ((latch\$5) with ((command or control or non-image or program\$3) adj (instruction or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:57
881	31	,	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 14:59
82	36	(((digital or electronic\$5) adj3 (capturing or camera)) and (controller or processor or cpu or processing)) and (((mux or multiplex\$5) with (controller or processor or cpu or processing)) same ((mux or multiplex\$5) with (pixel or image or picture))) same ((mux or multiplex\$5) with ((command or control or non-image or program\$3) adj2 (instruction or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:00
83	86	(((digital or electronic\$5) ad(3 (capturing or camera)) and (controller or processor or cpu or processing)) and (((mux or multiplex\$5 or fifo) with (controller or processor or cpu or processing)) same ((mux or multiplex\$5 or fifo) with (pixel or image or picture))) same ((mux or multiplex\$5 or fifo) with (in ((command or control or non-image or program\$3) adj2 (instruction or data))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:01
84	897	i(((digital or electronic\$5) ad(3 (capturing or camera)) and (controller or processor or cpu or processing)) and (((memory or stor\$3) with (controller or processor or cpu or processing)) same ((memory or stor\$3) near3 (pixel or image or picture))) same ((memory or stor\$3) near3 ((command or control or non-image or program\$3) adj2 (instruction or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:02
385	457	(((digital or electronic\$5) adj3 (capturing or camera)) with (controller or processor or cpu or processing)) and (((memory or stor\$3) with (controller or processor or cpu or processing)) same ((memory or stor\$3) near3 (pixel or image or picture))) same ((memory or stor\$3) near3 ((command or control or non-image or program\$3) adj2 (instruction or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:03
686	3	((memory or stor\$3) near3 buffer\$5 near3 (pixel or image or picture))) same ((memory or stor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:04

S87	53	[((digital or electronic\$5) adj3 (capturing or camera)) with (controller or processor or cpu or processing)) and (((memory or stor\$3) with (controller or processor or cpu or processing)) same buffer\$3 same ((memory or stor\$3) near3 (pixel or image or picture))) same ((memory or stor\$3) near3 ((command or control or non-image or program\$3) adj2 (instruction or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:04
88	292	i((first ad/3 (ccd or sens\$5)) same (second ad/3 (ccd or sens\$5)) same ((buffer\$5 or fife) with (interfac\$3 or connect\$5 or receiv\$5 or communicat\$5) with (ccd or sens\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:15
89	30	S88 and (((digital or electronic\$5) adj3 (capturing or camera)) same (controller or processor or cpu or processing))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:15
390	53	S88 and ("348".clas. or "358".clas. or "396".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:17
91	14	i((first adj3 (ccd or sens\$5)) same (second adj3 (ccd or sens\$5)) same ((single or one) adj2 (buffer \$5 or fifo) with (interfac\$3 or connect\$5 or receiv\$5 or communicat\$5) with (ccd or sens\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:20
92	295	[(first adj3 (photosensitive or cod or sens\$5)) same (second adj3 (photosensitive or cod or sens \$5)) same ((buffer\$5 or fifo) with (interfac\$3 or connect\$5 or receiv\$5 or communicat\$5) with (photosensitive or cod or sens\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:22
393	54	S92 and ("348".clas. or "358".clas. or "396".clas.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:23
394	2	20010015760",pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:37
395	2	<sup>*</sup> 4949189",pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:49

G97 G97	0	"5502577".pn. and dot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 15:57
97	1	"5502577".pn. and program\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/09/09 15:57
98	1	"5502577".pn. and software\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; BM_TDB	OR	ON	2009/09/09 15:58
99	2	"5502577",pn. and instruction	US-PGPUB; USPAT; EPO; UPO; DERWENT; BM_TDB	OR	ON	2009/09/09 15:58
100		"5502577",pn. and shad\$3	US-PGPUB; USPAT; EPO; UPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:01
101	1	"5502577",pn. and check\$3	US-PGPUB; USPAT; EPO; UPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:01
102	1	"5502577",pn. and mark\$3	US-PGPUB; USPAT; EPO; UPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:01
103	0	"5502577",pn. and x	US-PGPUB; USPAT; EPO; UPO; DERWENT; BM_TDB	OR	ON	2009/09/09 16:08
104	0	"5502577",pn. and "x"	US-PGPUB; USPAT; EPO; UPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:08

S105	20	bar\$3code same rotat\$5 same "2" and "1994"	US-PGPUB; USPAT; EPO; UPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:12
S106	271	bar\$3code same process\$5 same "2" and "1994"	US-PGPUB; USPAT; EPO; UPO; DERWENT; IBM_TDB	OR	ON	2009/09/09 16:13
S107	127	bar\$3code same process\$5 same "2" same "3" and "1994"	US-PGPUB; USPAT; EPO; UPO; DERWENT; BM_TDB	OR	ON	2009/09/09 16:13

## EAST Search History (Interference)

<This search history is empty>

## 9/10/09 3:35:24 PM

C:\Documents and Settings\bmenberu\My Documents\EAST\Workspaces\10656791.090209.wsp